

異常年検定結果(平成 30 年、二戸)

風向別出現頻度(二戸)

風向	統 計 年										平均値	標準偏差	検定年	F ₀	判 定			棄却限界(5%)	
	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	X	S	2018		5%	2.5%	1%	上限	下限
calm	1044	904	1158	994	1148	1059	1036	1013	996	1189	1054.1	83.3	1244	4.25	○	○	○	1263	846
N	427	413	357	334	325	336	304	295	312	247	335.0	51.0	260	1.77	○	○	○	462	208
NNE	881	816	745	630	834	752	694	722	780	752	760.6	68.3	781	0.07	○	○	○	932	590
NE	463	417	472	409	562	399	456	511	484	417	459.0	48.7	403	1.08	○	○	○	581	337
ENE	112	114	102	105	137	86	95	109	101	109	107.0	12.8	105	0.02	○	○	○	139	75
E	28	35	35	41	35	29	36	32	25	22	31.8	5.5	37	0.74	○	○	○	45	18
ESE	19	16	22	18	22	13	12	21	20	16	17.9	3.4	17	0.06	○	○	○	26	9
SE	26	30	22	17	25	19	24	25	24	21	23.3	3.5	27	0.90	○	○	○	32	14
SSE	51	44	54	34	49	36	41	38	31	41	41.9	7.2	37	0.38	○	○	○	60	24
S	243	168	169	155	164	174	183	163	150	159	172.8	25.0	150	0.68	○	○	○	235	110
SSW	1032	833	857	886	920	898	929	944	1039	985	932.3	65.8	943	0.02	○	○	○	1097	768
SW	2103	2280	2256	2531	2194	2482	2431	2368	2401	2336	2338.2	125.5	2476	0.99	○	○	○	2652	2024
WSW	1726	1866	1801	1870	1599	1744	1743	1760	1669	1686	1746.4	80.3	1565	4.17	○	○	○	1947	1545
W	292	420	355	379	287	282	325	352	312	289	329.3	43.9	272	1.40	○	○	○	439	220
WNW	96	121	113	101	131	108	126	128	114	123	116.1	11.2	116	0.00	○	○	○	144	88
NW	85	101	99	105	103	88	94	94	85	112	96.6	8.5	97	0.00	○	○	○	118	75
NNW	144	156	133	127	140	152	123	142	120	139	137.6	11.3	132	0.20	○	○	○	166	109
計	8772	8734	8750	8736	8675	8657	8652	8717	8663	8643	-	-	8662	-	-	-	-	-	-

上表より、2018 年（平成 30 年）の二戸観測所の風向データに異常は認められない。

点煙源強度Qp=1の場合の卓越風向SWの風下着地濃度

予測式: プルーム長期平均式 (Holland式) 風速1m/s以上
簡易パフ式 静穏の場合

パラメータ: 点煙強度 Qp=1 (規格濃度)、煙源と予測地点間の水平距離 R=100~5000m (100mピッチ)
大気安定度 B、D又はG
風速 u=静穏~6m/s (6m/sを越える風速は6m/sとした)、有効煙突高さ He 風速による (本書参照)

各表は、予測地点 (R=100~5000m) の算定値を示す。ASは大気安定度。規格濃度はQp=1の場合の算定値。
寄与濃度は、上記規格濃度に風向 (SW) での各風速・大気安定度出現率を乗じた値である。

表1.1 (R=100m)

昼 間						夜 間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	6.72E-56	0.0177	1.2E-57	1	D	167.5	1.48E-279	0.0330	4.88E-281
2	B	119.9	1.30E-30	0.0187	2.4E-32	2	D	119.9	5.63E-145	0.0152	8.54E-147
3	B	101.5	3.32E-23	0.0147	4.9E-25	3	D	101.5	3.49E-105	0.0067	2.34E-107
1	D	167.5	1.48E-279	0.0177	2.6E-281	4	D	91.5	2.83E-86	0.0029	8.34E-89
2	D	119.9	5.63E-145	0.0187	1.1E-146	5	D	85.1	3.17E-75	0.0017	5.49E-78
3	D	101.5	3.49E-105	0.0147	5.1E-107	6	D	80.6	5.74E-68	0.0014	8.29E-71
4	D	91.5	2.83E-86	0.0110	3.1E-88	1	G	167.5	0.00E+00	0.0330	0.00E+00
5	D	85.1	3.17E-75	0.0057	1.8E-77	2	G	119.9	0.00E+00	0.0152	0.00E+00
6	D	80.6	5.74E-68	0.0023	1.3E-70						
静穏	B	202.1	2.22E-06	0.0297	6.6E-08	静穏	D	202.1	1.57E-06	0.0920	1.44E-07
静穏	D	202.1	1.57E-06	0.0297	4.7E-08	静穏	G	202.1	4.67E-07	0.0920	4.30E-08
計					1.12E-07	計					1.87E-07
						計				昼夜計	3.00E-07

表1.2 (R=200m)

昼 間						夜 間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	7.96E-18	0.0177	1.4E-19	1	D	167.5	1.30E-91	0.0330	4.30E-93
2	B	119.9	2.11E-11	0.0187	3.9E-13	2	D	119.9	5.41E-49	0.0152	8.22E-51
3	B	101.5	1.38E-09	0.0147	2.0E-11	3	D	101.5	1.89E-36	0.0067	1.26E-38
1	D	167.5	1.30E-91	0.0177	2.3E-93	4	D	91.5	1.61E-30	0.0029	4.74E-33
2	D	119.9	5.41E-49	0.0187	1.0E-50	5	D	85.1	4.54E-27	0.0017	7.86E-30
3	D	101.5	1.89E-36	0.0147	2.8E-38	6	D	80.6	8.17E-25	0.0014	1.18E-27
4	D	91.5	1.61E-30	0.0110	1.8E-32	1	G	167.5	0.00E+00	0.0330	0.00E+00
5	D	85.1	4.54E-27	0.0057	2.6E-29	2	G	119.9	0.00E+00	0.0152	0.00E+00
6	D	80.6	8.17E-25	0.0023	1.9E-27						
静穏	B	202.1	1.78E-06	0.0297	5.3E-08	静穏	D	202.1	1.51E-06	0.0920	1.39E-07
静穏	D	202.1	1.51E-06	0.0297	4.5E-08	静穏	G	202.1	4.66E-07	0.0920	4.29E-08
計					9.74E-08	計					1.81E-07
						計				昼夜計	2.79E-07

表1.3 (R=300m)

昼 間						夜 間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.07E-10	0.0177	1.9E-12	1	D	167.5	5.52E-49	0.0330	1.82E-50
2	B	119.9	6.41E-08	0.0187	1.2E-09	2	D	119.9	2.55E-27	0.0152	3.87E-29
3	B	101.5	3.49E-07	0.0147	5.1E-09	3	D	101.5	5.49E-21	0.0067	3.68E-23
1	D	167.5	5.52E-49	0.0177	9.7E-51	4	D	91.5	5.18E-18	0.0029	1.52E-20
2	D	119.9	2.55E-27	0.0187	4.8E-29	5	D	85.1	2.71E-16	0.0017	4.69E-19
3	D	101.5	5.49E-21	0.0147	8.1E-23	6	D	80.6	3.53E-15	0.0014	5.10E-18
4	D	91.5	5.18E-18	0.0110	5.7E-20	1	G	167.5	0.00E+00	0.0330	0.00E+00
5	D	85.1	2.71E-16	0.0057	1.5E-18	2	G	119.9	6.01E-265	0.0152	9.12E-267
6	D	80.6	3.53E-15	0.0023	8.2E-18						
静穏	B	202.1	1.33E-06	0.0297	4.0E-08	静穏	D	202.1	1.41E-06	0.0920	1.30E-07
静穏	D	202.1	1.41E-06	0.0297	4.2E-08	静穏	G	202.1	4.63E-07	0.0920	4.26E-08
計					8.78E-08	計					1.72E-07
						計				昼夜計	2.60E-07

表1.4 (R=400m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.96E-08	0.0177	5.2E-10	1	D	167.5	3.50E-32	0.0330	1.16E-33
2	B	119.9	8.65E-07	0.0187	1.6E-08	2	D	119.9	7.95E-19	0.0152	1.21E-20
3	B	101.5	1.93E-06	0.0147	2.8E-08	3	D	101.5	5.90E-15	0.0067	3.95E-17
1	D	167.5	3.50E-32	0.0177	6.2E-34	4	D	91.5	3.75E-13	0.0029	1.10E-15
2	D	119.9	7.95E-19	0.0187	1.5E-20	5	D	85.1	4.03E-12	0.0017	6.97E-15
3	D	101.5	5.90E-15	0.0147	8.7E-17	6	D	80.6	1.86E-11	0.0014	2.68E-14
4	D	91.5	3.75E-13	0.0110	4.1E-15	1	G	167.5	0.00E+00	0.0330	0.00E+00
5	D	85.1	4.03E-12	0.0057	2.3E-14	2	G	119.9	2.22E-169	0.0152	3.37E-171
6	D	80.6	1.86E-11	0.0023	4.3E-14						
静穏	B	202.1	9.89E-07	0.0297	2.9E-08	静穏	D	202.1	1.30E-06	0.0920	1.19E-07
静穏	D	202.1	1.30E-06	0.0297	3.8E-08	静穏	G	202.1	4.60E-07	0.0920	4.23E-08
計					1.13E-07	計					1.62E-07
						計				昼夜計	2.75E-07

表1.5 (R=500m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.71E-07	0.0177	6.5E-09	1	D	167.5	9.96E-24	0.0330	3.28E-25
2	B	119.9	2.54E-06	0.0187	4.8E-08	2	D	119.9	1.39E-14	0.0152	2.11E-16
3	B	101.5	3.68E-06	0.0147	5.4E-08	3	D	101.5	5.84E-12	0.0067	3.91E-14
1	D	167.5	9.96E-24	0.0177	1.8E-25	4	D	91.5	9.43E-11	0.0029	2.78E-13
2	D	119.9	1.39E-14	0.0187	2.6E-16	5	D	85.1	4.55E-10	0.0017	7.88E-13
3	D	101.5	5.84E-12	0.0147	8.6E-14	6	D	80.6	1.24E-09	0.0014	1.79E-12
4	D	91.5	9.43E-11	0.0110	1.0E-12	1	G	167.5	1.82E-230	0.0330	6.01E-232
5	D	85.1	4.55E-10	0.0057	2.6E-12	2	G	119.9	3.38E-120	0.0152	5.13E-122
6	D	80.6	1.24E-09	0.0023	2.9E-12						
静穏	B	202.1	7.42E-07	0.0297	2.2E-08	静穏	D	202.1	1.17E-06	0.0920	1.08E-07
静穏	D	202.1	1.17E-06	0.0297	3.5E-08	静穏	G	202.1	4.56E-07	0.0920	4.19E-08
計					1.65E-07	計					1.50E-07
						計				昼夜計	3.15E-07

表1.6 (R=600m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.48E-06	0.0177	2.6E-08	1	D	167.5	7.75E-19	0.0330	2.55E-20
2	B	119.9	4.29E-06	0.0187	8.0E-08	2	D	119.9	3.78E-12	0.0152	5.74E-14
3	B	101.5	4.81E-06	0.0147	7.1E-08	3	D	101.5	2.97E-10	0.0067	1.99E-12
1	D	167.5	7.75E-19	0.0177	1.4E-20	4	D	91.5	2.16E-09	0.0029	6.35E-12
2	D	119.9	3.78E-12	0.0187	7.1E-14	5	D	85.1	6.53E-09	0.0017	1.13E-11
3	D	101.5	2.97E-10	0.0147	4.4E-12	6	D	80.6	1.31E-08	0.0014	1.88E-11
4	D	91.5	2.16E-09	0.0110	2.4E-11	1	G	167.5	1.23E-173	0.0330	4.06E-175
5	D	85.1	6.53E-09	0.0057	3.7E-11	2	G	119.9	3.66E-91	0.0152	5.56E-93
6	D	80.6	1.31E-08	0.0023	3.0E-11						
静穏	B	202.1	5.69E-07	0.0297	1.7E-08	静穏	D	202.1	1.05E-06	0.0920	9.70E-08
静穏	D	202.1	1.05E-06	0.0297	3.1E-08	静穏	G	202.1	4.51E-07	0.0920	4.15E-08
計					2.25E-07	計					1.38E-07
						計				昼夜計	3.64E-07

表1.7 (R=700m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.00E-06	0.0177	5.3E-08	1	D	167.5	9.72E-16	0.0330	3.20E-17
2	B	119.9	5.27E-06	0.0187	9.8E-08	2	D	119.9	1.27E-10	0.0152	1.93E-12
3	B	101.5	5.09E-06	0.0147	7.5E-08	3	D	101.5	3.42E-09	0.0067	2.29E-11
1	D	167.5	9.72E-16	0.0177	1.7E-17	4	D	91.5	1.49E-08	0.0029	4.39E-11
2	D	119.9	1.27E-10	0.0187	2.4E-12	5	D	85.1	3.35E-08	0.0017	5.80E-11
3	D	101.5	3.42E-09	0.0147	5.0E-11	6	D	80.6	5.50E-08	0.0014	7.93E-11
4	D	91.5	1.49E-08	0.0110	1.6E-10	1	G	167.5	6.45E-137	0.0330	2.13E-138
5	D	85.1	3.35E-08	0.0057	1.9E-10	2	G	119.9	2.04E-72	0.0152	3.10E-74
6	D	80.6	5.50E-08	0.0023	1.3E-10						
静穏	B	202.1	4.46E-07	0.0297	1.3E-08	静穏	D	202.1	9.39E-07	0.0920	8.64E-08
静穏	D	202.1	9.39E-07	0.0297	2.8E-08	静穏	G	202.1	4.45E-07	0.0920	4.09E-08
計					2.68E-07	計					1.28E-07
						計				昼夜計	3.96E-07

表1.8 (R=800m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	4.36E-06	0.0177	7.7E-08	1	D	167.5	1.20E-13	0.0330	3.96E-15
2	B	119.9	5.56E-06	0.0187	1.0E-07	2	D	119.9	1.33E-09	0.0152	2.02E-11
3	B	101.5	4.89E-06	0.0147	7.2E-08	3	D	101.5	1.72E-08	0.0067	1.15E-10
1	D	167.5	1.20E-13	0.0177	2.1E-15	4	D	91.5	5.30E-08	0.0029	1.56E-10
2	D	119.9	1.33E-09	0.0187	2.5E-11	5	D	85.1	9.70E-08	0.0017	1.68E-10
3	D	101.5	1.72E-08	0.0147	2.5E-10	6	D	80.6	1.39E-07	0.0014	2.01E-10
4	D	91.5	5.30E-08	0.0110	5.8E-10	1	G	167.5	1.21E-111	0.0330	4.00E-113
5	D	85.1	9.70E-08	0.0057	5.5E-10	2	G	119.9	1.59E-59	0.0152	2.42E-61
6	D	80.6	1.39E-07	0.0023	3.2E-10						
静穏	B	202.1	3.57E-07	0.0297	1.1E-08	静穏	D	202.1	8.35E-07	0.0920	7.68E-08
静穏	D	202.1	8.35E-07	0.0297	2.5E-08	静穏	G	202.1	4.38E-07	0.0920	4.03E-08
計					2.90E-07	計					1.18E-07
						計				昼夜計	4.08E-07

表1.9 (R=900m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.27E-06	0.0177	9.3E-08	1	D	167.5	3.65E-12	0.0330	1.20E-13
2	B	119.9	5.43E-06	0.0187	1.0E-07	2	D	119.9	6.88E-09	0.0152	1.05E-10
3	B	101.5	4.49E-06	0.0147	6.6E-08	3	D	101.5	5.27E-08	0.0067	3.53E-10
1	D	167.5	3.65E-12	0.0177	6.4E-14	4	D	91.5	1.26E-07	0.0029	3.72E-10
2	D	119.9	6.88E-09	0.0187	1.3E-10	5	D	85.1	2.00E-07	0.0017	3.46E-10
3	D	101.5	5.27E-08	0.0147	7.8E-10	6	D	80.6	2.60E-07	0.0014	3.76E-10
4	D	91.5	1.26E-07	0.0110	1.4E-09	1	G	167.5	2.10E-93	0.0330	6.91E-95
5	D	85.1	2.00E-07	0.0057	1.1E-09	2	G	119.9	3.14E-50	0.0152	4.77E-52
6	D	80.6	2.60E-07	0.0023	6.0E-10						
静穏	B	202.1	2.91E-07	0.0297	8.6E-09	静穏	D	202.1	7.41E-07	0.0920	6.82E-08
静穏	D	202.1	7.41E-07	0.0297	2.2E-08	静穏	G	202.1	4.31E-07	0.0920	3.96E-08
計					2.95E-07	計					1.09E-07
						計				昼夜計	4.05E-07

表1.10 (R=1000m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.73E-06	0.0177	1.0E-07	1	D	167.5	4.61E-11	0.0330	1.52E-12
2	B	119.9	5.09E-06	0.0187	9.5E-08	2	D	119.9	2.30E-08	0.0152	3.49E-10
3	B	101.5	4.03E-06	0.0147	5.9E-08	3	D	101.5	1.19E-07	0.0067	7.94E-10
1	D	167.5	4.61E-11	0.0177	8.1E-13	4	D	91.5	2.35E-07	0.0029	6.93E-10
2	D	119.9	2.30E-08	0.0187	4.3E-10	5	D	85.1	3.33E-07	0.0017	5.77E-10
3	D	101.5	1.19E-07	0.0147	1.7E-09	6	D	80.6	4.04E-07	0.0014	5.83E-10
4	D	91.5	2.35E-07	0.0110	2.6E-09	1	G	167.5	1.57E-79	0.0330	5.16E-81
5	D	85.1	3.33E-07	0.0057	1.9E-09	2	G	119.9	3.65E-43	0.0152	5.53E-45
6	D	80.6	4.04E-07	0.0023	9.3E-10						
静穏	B	202.1	2.41E-07	0.0297	7.2E-09	静穏	D	202.1	6.59E-07	0.0920	6.06E-08
静穏	D	202.1	6.59E-07	0.0297	2.0E-08	静穏	G	202.1	4.23E-07	0.0920	3.89E-08
計					2.90E-07	計					1.02E-07
						計				昼夜計	3.93E-07

表1.11 (R=1100m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.86E-06	0.0177	1.0E-07	1	D	167.5	1.97E-10	0.0330	6.48E-12
2	B	119.9	4.67E-06	0.0187	8.7E-08	2	D	119.9	4.48E-08	0.0152	6.80E-10
3	B	101.5	3.58E-06	0.0147	5.3E-08	3	D	101.5	1.83E-07	0.0067	1.23E-09
1	D	167.5	1.97E-10	0.0177	3.5E-12	4	D	91.5	3.26E-07	0.0029	9.59E-10
2	D	119.9	4.48E-08	0.0187	8.4E-10	5	D	85.1	4.32E-07	0.0017	7.48E-10
3	D	101.5	1.83E-07	0.0147	2.7E-09	6	D	80.6	5.02E-07	0.0014	7.25E-10
4	D	91.5	3.26E-07	0.0110	3.6E-09	1	G	167.5	5.26E-71	0.0330	1.73E-72
5	D	85.1	4.32E-07	0.0057	2.4E-09	2	G	119.9	7.86E-39	0.0152	1.19E-40
6	D	80.6	5.02E-07	0.0023	1.2E-09						
静穏	B	202.1	2.03E-07	0.0297	6.0E-09	静穏	D	202.1	5.86E-07	0.0920	5.40E-08
静穏	D	202.1	5.86E-07	0.0297	1.7E-08	静穏	G	202.1	4.14E-07	0.0920	3.81E-08
計					2.78E-07	計					9.64E-08
						計				昼夜計	3.74E-07

表1.12 (R=1200m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.77E-06	0.0177	1.0E-07	1	D	167.5	6.31E-10	0.0330	2.08E-11
2	B	119.9	4.24E-06	0.0187	7.9E-08	2	D	119.9	7.58E-08	0.0152	1.15E-09
3	B	101.5	3.17E-06	0.0147	4.7E-08	3	D	101.5	2.57E-07	0.0067	1.72E-09
1	D	167.5	6.31E-10	0.0177	1.1E-11	4	D	91.5	4.17E-07	0.0029	1.23E-09
2	D	119.9	7.58E-08	0.0187	1.4E-09	5	D	85.1	5.25E-07	0.0017	9.10E-10
3	D	101.5	2.57E-07	0.0147	3.8E-09	6	D	80.6	5.90E-07	0.0014	8.51E-10
4	D	91.5	4.17E-07	0.0110	4.6E-09	1	G	167.5	4.40E-64	0.0330	1.45E-65
5	D	85.1	5.25E-07	0.0057	3.0E-09	2	G	119.9	2.57E-35	0.0152	3.90E-37
6	D	80.6	5.90E-07	0.0023	1.4E-09						
静穏	B	202.1	1.73E-07	0.0297	5.1E-09	静穏	D	202.1	5.24E-07	0.0920	4.82E-08
静穏	D	202.1	5.24E-07	0.0297	1.6E-08	静穏	G	202.1	4.06E-07	0.0920	3.73E-08
計					2.63E-07	計					9.14E-08
						計				昼夜計	3.54E-07

表1.13 (R=1300m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.54E-06	0.0177	9.8E-08	1	D	167.5	1.63E-09	0.0330	5.38E-11
2	B	119.9	3.83E-06	0.0187	7.2E-08	2	D	119.9	1.16E-07	0.0152	1.76E-09
3	B	101.5	2.81E-06	0.0147	4.1E-08	3	D	101.5	3.35E-07	0.0067	2.24E-09
1	D	167.5	1.63E-09	0.0177	2.9E-11	4	D	91.5	5.06E-07	0.0029	1.49E-09
2	D	119.9	1.16E-07	0.0187	2.2E-09	5	D	85.1	6.10E-07	0.0017	1.06E-09
3	D	101.5	3.35E-07	0.0147	4.9E-09	6	D	80.6	6.65E-07	0.0014	9.60E-10
4	D	91.5	5.06E-07	0.0110	5.6E-09	1	G	167.5	2.31E-58	0.0330	7.60E-60
5	D	85.1	6.10E-07	0.0057	3.4E-09	2	G	119.9	2.05E-32	0.0152	3.11E-34
6	D	80.6	6.65E-07	0.0023	1.5E-09						
静穏	B	202.1	1.49E-07	0.0297	4.4E-09	静穏	D	202.1	4.69E-07	0.0920	4.31E-08
静穏	D	202.1	4.69E-07	0.0297	1.4E-08	静穏	G	202.1	3.96E-07	0.0920	3.65E-08
計					2.47E-07	計					8.72E-08
						計				昼夜計	3.34E-07

表1.14 (R=1400m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	5.24E-06	0.0177	9.2E-08	1	D	167.5	3.59E-09	0.0330	1.18E-10
2	B	119.9	3.45E-06	0.0187	6.4E-08	2	D	119.9	1.63E-07	0.0152	2.48E-09
3	B	101.5	2.49E-06	0.0147	3.7E-08	3	D	101.5	4.15E-07	0.0067	2.78E-09
1	D	167.5	3.59E-09	0.0177	6.3E-11	4	D	91.5	5.88E-07	0.0029	1.73E-09
2	D	119.9	1.63E-07	0.0187	3.1E-09	5	D	85.1	6.83E-07	0.0017	1.18E-09
3	D	101.5	4.15E-07	0.0147	6.1E-09	6	D	80.6	7.28E-07	0.0014	1.05E-09
4	D	91.5	5.88E-07	0.0110	6.5E-09	1	G	167.5	1.44E-53	0.0330	4.74E-55
5	D	85.1	6.83E-07	0.0057	3.9E-09	2	G	119.9	5.51E-30	0.0152	8.37E-32
6	D	80.6	7.28E-07	0.0023	1.7E-09						
静穏	B	202.1	1.29E-07	0.0297	3.8E-09	静穏	D	202.1	4.21E-07	0.0920	3.88E-08
静穏	D	202.1	4.21E-07	0.0297	1.3E-08	静穏	G	202.1	3.87E-07	0.0920	3.56E-08
計					2.31E-07	計					8.37E-08
						計				昼夜計	3.15E-07

表1.15 (R=1500m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	4.90E-06	0.0177	8.7E-08	1	D	167.5	6.94E-09	0.0330	2.29E-10
2	B	119.9	3.11E-06	0.0187	5.8E-08	2	D	119.9	2.17E-07	0.0152	3.29E-09
3	B	101.5	2.22E-06	0.0147	3.3E-08	3	D	101.5	4.92E-07	0.0067	3.30E-09
1	D	167.5	6.94E-09	0.0177	1.2E-10	4	D	91.5	6.62E-07	0.0029	1.95E-09
2	D	119.9	2.17E-07	0.0187	4.1E-09	5	D	85.1	7.45E-07	0.0017	1.29E-09
3	D	101.5	4.92E-07	0.0147	7.2E-09	6	D	80.6	7.78E-07	0.0014	1.12E-09
4	D	91.5	6.62E-07	0.0110	7.3E-09	1	G	167.5	1.69E-49	0.0330	5.57E-51
5	D	85.1	7.45E-07	0.0057	4.2E-09	2	G	119.9	6.34E-28	0.0152	9.62E-30
6	D	80.6	7.78E-07	0.0023	1.8E-09						
静穏	B	202.1	1.13E-07	0.0297	3.4E-09	静穏	D	202.1	3.80E-07	0.0920	3.50E-08
静穏	D	202.1	3.80E-07	0.0297	1.1E-08	静穏	G	202.1	3.77E-07	0.0920	3.47E-08
計					2.17E-07	計					8.09E-08
						計				昼夜計	2.98E-07

表1.16 (R=1600m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	4.57E-06	0.0177	8.1E-08	1	D	167.5	1.21E-08	0.0330	4.00E-10
2	B	119.9	2.80E-06	0.0187	5.2E-08	2	D	119.9	2.74E-07	0.0152	4.16E-09
3	B	101.5	1.99E-06	0.0147	2.9E-08	3	D	101.5	5.66E-07	0.0067	3.79E-09
1	D	167.5	1.21E-08	0.0177	2.1E-10	4	D	91.5	7.26E-07	0.0029	2.14E-09
2	D	119.9	2.74E-07	0.0187	5.1E-09	5	D	85.1	7.96E-07	0.0017	1.38E-09
3	D	101.5	5.66E-07	0.0147	8.3E-09	6	D	80.6	8.16E-07	0.0014	1.18E-09
4	D	91.5	7.26E-07	0.0110	8.0E-09	1	G	167.5	5.26E-46	0.0330	1.73E-47
5	D	85.1	7.96E-07	0.0057	4.5E-09	2	G	119.9	3.70E-26	0.0152	5.62E-28
6	D	80.6	8.16E-07	0.0023	1.9E-09						
静穏	B	202.1	1.00E-07	0.0297	3.0E-09	静穏	D	202.1	3.44E-07	0.0920	3.17E-08
静穏	D	202.1	3.44E-07	0.0297	1.0E-08	静穏	G	202.1	3.67E-07	0.0920	3.38E-08
計					2.04E-07	計					7.85E-08
						計				昼夜計	2.82E-07

表1.17 (R=1700m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	4.24E-06	0.0177	7.5E-08	1	D	167.5	1.95E-08	0.0330	6.44E-10
2	B	119.9	2.54E-06	0.0187	4.7E-08	2	D	119.9	3.34E-07	0.0152	5.06E-09
3	B	101.5	1.78E-06	0.0147	2.6E-08	3	D	101.5	6.33E-07	0.0067	4.24E-09
1	D	167.5	1.95E-08	0.0177	3.5E-10	4	D	91.5	7.82E-07	0.0029	2.30E-09
2	D	119.9	3.34E-07	0.0187	6.2E-09	5	D	85.1	8.37E-07	0.0017	1.45E-09
3	D	101.5	6.33E-07	0.0147	9.3E-09	6	D	80.6	8.45E-07	0.0014	1.22E-09
4	D	91.5	7.82E-07	0.0110	8.6E-09	1	G	167.5	5.59E-43	0.0330	1.84E-44
5	D	85.1	8.37E-07	0.0057	4.7E-09	2	G	119.9	1.25E-24	0.0152	1.90E-26
6	D	80.6	8.45E-07	0.0023	2.0E-09						
静穏	B	202.1	8.93E-08	0.0297	2.6E-09	静穏	D	202.1	3.12E-07	0.0920	2.88E-08
静穏	D	202.1	3.12E-07	0.0297	9.3E-09	静穏	G	202.1	3.58E-07	0.0920	3.29E-08
計					1.92E-07	計					7.66E-08
						計				昼夜計	2.68E-07

表1.18 (R=1800m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.93E-06	0.0177	6.9E-08	1	D	167.5	2.95E-08	0.0330	9.72E-10
2	B	119.9	2.30E-06	0.0187	4.3E-08	2	D	119.9	3.93E-07	0.0152	5.97E-09
3	B	101.5	1.61E-06	0.0147	2.4E-08	3	D	101.5	6.94E-07	0.0067	4.65E-09
1	D	167.5	2.95E-08	0.0177	5.2E-10	4	D	91.5	8.28E-07	0.0029	2.44E-09
2	D	119.9	3.93E-07	0.0187	7.4E-09	5	D	85.1	8.69E-07	0.0017	1.50E-09
3	D	101.5	6.94E-07	0.0147	1.0E-08	6	D	80.6	8.65E-07	0.0014	1.25E-09
4	D	91.5	8.28E-07	0.0110	9.1E-09	1	G	167.5	2.47E-40	0.0330	8.13E-42
5	D	85.1	8.69E-07	0.0057	4.9E-09	2	G	119.9	2.70E-23	0.0152	4.10E-25
6	D	80.6	8.65E-07	0.0023	2.0E-09						
静穏	B	202.1	8.00E-08	0.0297	2.4E-09	静穏	D	202.1	2.85E-07	0.0920	2.62E-08
静穏	D	202.1	2.85E-07	0.0297	8.4E-09	静穏	G	202.1	3.48E-07	0.0920	3.20E-08
計					1.81E-07	計					7.50E-08
						計				昼夜計	2.56E-07

表1.19 (R=1900m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.64E-06	0.0177	6.4E-08	1	D	167.5	4.21E-08	0.0330	1.39E-09
2	B	119.9	2.09E-06	0.0187	3.9E-08	2	D	119.9	4.52E-07	0.0152	6.87E-09
3	B	101.5	1.46E-06	0.0147	2.1E-08	3	D	101.5	7.48E-07	0.0067	5.01E-09
1	D	167.5	4.21E-08	0.0177	7.4E-10	4	D	91.5	8.65E-07	0.0029	2.55E-09
2	D	119.9	4.52E-07	0.0187	8.5E-09	5	D	85.1	8.92E-07	0.0017	1.54E-09
3	D	101.5	7.48E-07	0.0147	1.1E-08	6	D	80.6	8.78E-07	0.0014	1.27E-09
4	D	91.5	8.65E-07	0.0110	9.5E-09	1	G	167.5	5.24E-38	0.0330	1.73E-39
5	D	85.1	8.92E-07	0.0057	5.0E-09	2	G	119.9	4.03E-22	0.0152	6.11E-24
6	D	80.6	8.78E-07	0.0023	2.0E-09						
静穏	B	202.1	7.20E-08	0.0297	2.1E-09	静穏	D	202.1	2.60E-07	0.0920	2.40E-08
静穏	D	202.1	2.60E-07	0.0297	7.7E-09	静穏	G	202.1	3.38E-07	0.0920	3.11E-08
計					1.72E-07	計					7.37E-08
						計				昼夜計	2.45E-07

表1.20 (R=2000m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.37E-06	0.0177	5.9E-08	1	D	167.5	5.75E-08	0.0330	1.89E-09
2	B	119.9	1.91E-06	0.0187	3.6E-08	2	D	119.9	5.09E-07	0.0152	7.73E-09
3	B	101.5	1.32E-06	0.0147	1.9E-08	3	D	101.5	7.96E-07	0.0067	5.33E-09
1	D	167.5	5.75E-08	0.0177	1.0E-09	4	D	91.5	8.96E-07	0.0029	2.64E-09
2	D	119.9	5.09E-07	0.0187	9.5E-09	5	D	85.1	9.09E-07	0.0017	1.57E-09
3	D	101.5	7.96E-07	0.0147	1.2E-08	6	D	80.6	8.85E-07	0.0014	1.28E-09
4	D	91.5	8.96E-07	0.0110	9.9E-09	1	G	167.5	6.21E-36	0.0330	2.05E-37
5	D	85.1	9.09E-07	0.0057	5.1E-09	2	G	119.9	4.46E-21	0.0152	6.77E-23
6	D	80.6	8.85E-07	0.0023	2.0E-09						
静穏	B	202.1	6.52E-08	0.0297	1.9E-09	静穏	D	202.1	2.39E-07	0.0920	2.20E-08
静穏	D	202.1	2.39E-07	0.0297	7.1E-09	静穏	G	202.1	3.28E-07	0.0920	3.02E-08
計					1.63E-07	計					7.26E-08
						計				昼夜計	2.36E-07

表1.21 (R=2100m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	3.12E-06	0.0177	5.5E-08	1	D	167.5	7.55E-08	0.0330	2.49E-09
2	B	119.9	1.75E-06	0.0187	3.3E-08	2	D	119.9	5.63E-07	0.0152	8.55E-09
3	B	101.5	1.21E-06	0.0147	1.8E-08	3	D	101.5	8.37E-07	0.0067	5.60E-09
1	D	167.5	7.55E-08	0.0177	1.3E-09	4	D	91.5	9.19E-07	0.0029	2.70E-09
2	D	119.9	5.63E-07	0.0187	1.1E-08	5	D	85.1	9.19E-07	0.0017	1.59E-09
3	D	101.5	8.37E-07	0.0147	1.2E-08	6	D	80.6	8.87E-07	0.0014	1.28E-09
4	D	91.5	9.19E-07	0.0110	1.0E-08	1	G	167.5	1.10E-34	0.0330	3.63E-36
5	D	85.1	9.19E-07	0.0057	5.2E-09	2	G	119.9	1.88E-20	0.0152	2.85E-22
6	D	80.6	8.87E-07	0.0023	2.0E-09						
静穏	B	202.1	5.93E-08	0.0297	1.8E-09	静穏	D	202.1	2.20E-07	0.0920	2.02E-08
静穏	D	202.1	2.20E-07	0.0297	6.5E-09	静穏	G	202.1	3.18E-07	0.0920	2.93E-08
計					1.55E-07	計					7.17E-08
						計				昼夜計	2.27E-07

表1.22 (R=2200m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.90E-06	0.0177	5.1E-08	1	D	167.5	9.60E-08	0.0330	3.16E-09
2	B	119.9	1.60E-06	0.0187	3.0E-08	2	D	119.9	6.14E-07	0.0152	9.32E-09
3	B	101.5	1.10E-06	0.0147	1.6E-08	3	D	101.5	8.71E-07	0.0067	5.83E-09
1	D	167.5	9.60E-08	0.0177	1.7E-09	4	D	91.5	9.36E-07	0.0029	2.76E-09
2	D	119.9	6.14E-07	0.0187	1.1E-08	5	D	85.1	9.24E-07	0.0017	1.60E-09
3	D	101.5	8.71E-07	0.0147	1.3E-08	6	D	80.6	8.85E-07	0.0014	1.28E-09
4	D	91.5	9.36E-07	0.0110	1.0E-08	1	G	167.5	1.53E-33	0.0330	5.04E-35
5	D	85.1	9.24E-07	0.0057	5.2E-09	2	G	119.9	7.00E-20	0.0152	1.06E-21
6	D	80.6	8.85E-07	0.0023	2.0E-09						
静穏	B	202.1	5.41E-08	0.0297	1.6E-09	静穏	D	202.1	2.03E-07	0.0920	1.86E-08
静穏	D	202.1	2.03E-07	0.0297	6.0E-09	静穏	G	202.1	3.08E-07	0.0920	2.84E-08
計					1.49E-07	計					7.10E-08
						計				昼夜計	2.20E-07

表1.23 (R=2300m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.69E-06	0.0177	4.8E-08	1	D	167.5	1.19E-07	0.0330	3.92E-09
2	B	119.9	1.48E-06	0.0187	2.8E-08	2	D	119.9	6.61E-07	0.0152	1.00E-08
3	B	101.5	1.01E-06	0.0147	1.5E-08	3	D	101.5	9.00E-07	0.0067	6.02E-09
1	D	167.5	1.19E-07	0.0177	2.1E-09	4	D	91.5	9.48E-07	0.0029	2.79E-09
2	D	119.9	6.61E-07	0.0187	1.2E-08	5	D	85.1	9.25E-07	0.0017	1.60E-09
3	D	101.5	9.00E-07	0.0147	1.3E-08	6	D	80.6	8.79E-07	0.0014	1.27E-09
4	D	91.5	9.48E-07	0.0110	1.0E-08	1	G	167.5	1.71E-32	0.0330	5.63E-34
5	D	85.1	9.25E-07	0.0057	5.2E-09	2	G	119.9	2.33E-19	0.0152	3.54E-21
6	D	80.6	8.79E-07	0.0023	2.0E-09						
静穏	B	202.1	4.96E-08	0.0297	1.5E-09	静穏	D	202.1	1.87E-07	0.0920	1.72E-08
静穏	D	202.1	1.87E-07	0.0297	5.6E-09	静穏	G	202.1	2.99E-07	0.0920	2.75E-08
計					1.42E-07	計					7.04E-08
						計				昼夜計	2.13E-07

表1.24 (R=2400m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.50E-06	0.0177	4.4E-08	1	D	167.5	1.44E-07	0.0330	4.73E-09
2	B	119.9	1.36E-06	0.0187	2.5E-08	2	D	119.9	7.04E-07	0.0152	1.07E-08
3	B	101.5	9.31E-07	0.0147	1.4E-08	3	D	101.5	9.23E-07	0.0067	6.18E-09
1	D	167.5	1.44E-07	0.0177	2.5E-09	4	D	91.5	9.55E-07	0.0029	2.81E-09
2	D	119.9	7.04E-07	0.0187	1.3E-08	5	D	85.1	9.23E-07	0.0017	1.60E-09
3	D	101.5	9.23E-07	0.0147	1.4E-08	6	D	80.6	8.71E-07	0.0014	1.26E-09
4	D	91.5	9.55E-07	0.0110	1.1E-08	1	G	167.5	1.58E-31	0.0330	5.20E-33
5	D	85.1	9.23E-07	0.0057	5.2E-09	2	G	119.9	7.08E-19	0.0152	1.07E-20
6	D	80.6	8.71E-07	0.0023	2.0E-09						
静穏	B	202.1	4.56E-08	0.0297	1.4E-09	静穏	D	202.1	1.74E-07	0.0920	1.60E-08
静穏	D	202.1	1.74E-07	0.0297	5.2E-09	静穏	G	202.1	2.90E-07	0.0920	2.66E-08
計					1.37E-07	計					6.99E-08
						計				昼夜計	2.07E-07

表1.25 (R=2500m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.33E-06	0.0177	4.1E-08	1	D	167.5	1.70E-07	0.0330	5.60E-09
2	B	119.9	1.26E-06	0.0187	2.4E-08	2	D	119.9	7.43E-07	0.0152	1.13E-08
3	B	101.5	8.60E-07	0.0147	1.3E-08	3	D	101.5	9.42E-07	0.0067	6.30E-09
1	D	167.5	1.70E-07	0.0177	3.0E-09	4	D	91.5	9.59E-07	0.0029	2.82E-09
2	D	119.9	7.43E-07	0.0187	1.4E-08	5	D	85.1	9.18E-07	0.0017	1.59E-09
3	D	101.5	9.42E-07	0.0147	1.4E-08	6	D	80.6	8.60E-07	0.0014	1.24E-09
4	D	91.5	9.59E-07	0.0110	1.1E-08	1	G	167.5	1.23E-30	0.0330	4.06E-32
5	D	85.1	9.18E-07	0.0057	5.2E-09	2	G	119.9	1.97E-18	0.0152	2.99E-20
6	D	80.6	8.60E-07	0.0023	2.0E-09						
静穏	B	202.1	4.21E-08	0.0297	1.2E-09	静穏	D	202.1	1.62E-07	0.0920	1.49E-08
静穏	D	202.1	1.62E-07	0.0297	4.8E-09	静穏	G	202.1	2.81E-07	0.0920	2.58E-08
計					1.32E-07	計					6.95E-08
						計				昼夜計	2.01E-07

表1.26 (R=2600m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.18E-06	0.0177	3.8E-08	1	D	167.5	1.98E-07	0.0330	6.51E-09
2	B	119.9	1.17E-06	0.0187	2.2E-08	2	D	119.9	7.78E-07	0.0152	1.18E-08
3	B	101.5	7.96E-07	0.0147	1.2E-08	3	D	101.5	9.56E-07	0.0067	6.40E-09
1	D	167.5	1.98E-07	0.0177	3.5E-09	4	D	91.5	9.59E-07	0.0029	2.82E-09
2	D	119.9	7.78E-07	0.0187	1.5E-08	5	D	85.1	9.10E-07	0.0017	1.58E-09
3	D	101.5	9.56E-07	0.0147	1.4E-08	6	D	80.6	8.48E-07	0.0014	1.22E-09
4	D	91.5	9.59E-07	0.0110	1.1E-08	1	G	167.5	8.29E-30	0.0330	2.73E-31
5	D	85.1	9.10E-07	0.0057	5.1E-09	2	G	119.9	5.09E-18	0.0152	7.72E-20
6	D	80.6	8.48E-07	0.0023	2.0E-09						
静穏	B	202.1	3.90E-08	0.0297	1.2E-09	静穏	D	202.1	1.51E-07	0.0920	1.38E-08
静穏	D	202.1	1.51E-07	0.0297	4.5E-09	静穏	G	202.1	2.72E-07	0.0920	2.50E-08
計					1.27E-07	計					6.92E-08
						計				昼夜計	1.97E-07

表1.27 (R=2700m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	2.03E-06	0.0177	3.6E-08	1	D	167.5	2.26E-07	0.0330	7.46E-09
2	B	119.9	1.09E-06	0.0187	2.0E-08	2	D	119.9	8.09E-07	0.0152	1.23E-08
3	B	101.5	7.38E-07	0.0147	1.1E-08	3	D	101.5	9.66E-07	0.0067	6.47E-09
1	D	167.5	2.26E-07	0.0177	4.0E-09	4	D	91.5	9.56E-07	0.0029	2.82E-09
2	D	119.9	8.09E-07	0.0187	1.5E-08	5	D	85.1	9.00E-07	0.0017	1.56E-09
3	D	101.5	9.66E-07	0.0147	1.4E-08	6	D	80.6	8.35E-07	0.0014	1.20E-09
4	D	91.5	9.56E-07	0.0110	1.1E-08	1	G	167.5	4.88E-29	0.0330	1.61E-30
5	D	85.1	9.00E-07	0.0057	5.1E-09	2	G	119.9	1.23E-17	0.0152	1.86E-19
6	D	80.6	8.35E-07	0.0023	1.9E-09						
静穏	B	202.1	3.62E-08	0.0297	1.1E-09	静穏	D	202.1	1.41E-07	0.0920	1.29E-08
静穏	D	202.1	1.41E-07	0.0297	4.2E-09	静穏	G	202.1	2.63E-07	0.0920	2.42E-08
計					1.23E-07	計					6.89E-08
						計				昼夜計	1.92E-07

表1.28 (R=2800m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.90E-06	0.0177	3.4E-08	1	D	167.5	2.56E-07	0.0330	8.42E-09
2	B	119.9	1.01E-06	0.0187	1.9E-08	2	D	119.9	8.37E-07	0.0152	1.27E-08
3	B	101.5	6.87E-07	0.0147	1.0E-08	3	D	101.5	9.73E-07	0.0067	6.52E-09
1	D	167.5	2.56E-07	0.0177	4.5E-09	4	D	91.5	9.51E-07	0.0029	2.80E-09
2	D	119.9	8.37E-07	0.0187	1.6E-08	5	D	85.1	8.89E-07	0.0017	1.54E-09
3	D	101.5	9.73E-07	0.0147	1.4E-08	6	D	80.6	8.21E-07	0.0014	1.18E-09
4	D	91.5	9.51E-07	0.0110	1.0E-08	1	G	167.5	2.55E-28	0.0330	8.39E-30
5	D	85.1	8.89E-07	0.0057	5.0E-09	2	G	119.9	2.79E-17	0.0152	4.24E-19
6	D	80.6	8.21E-07	0.0023	1.9E-09						
静穏	B	202.1	3.37E-08	0.0297	1.0E-09	静穏	D	202.1	1.31E-07	0.0920	1.21E-08
静穏	D	202.1	1.31E-07	0.0297	3.9E-09	静穏	G	202.1	2.55E-07	0.0920	2.34E-08
計					1.19E-07	計					6.87E-08
						計				昼夜計	1.88E-07

表1.29 (R=2900m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.79E-06	0.0177	3.2E-08	1	D	167.5	2.85E-07	0.0330	9.40E-09
2	B	119.9	9.45E-07	0.0187	1.8E-08	2	D	119.9	8.61E-07	0.0152	1.31E-08
3	B	101.5	6.40E-07	0.0147	9.4E-09	3	D	101.5	9.77E-07	0.0067	6.54E-09
1	D	167.5	2.85E-07	0.0177	5.0E-09	4	D	91.5	9.45E-07	0.0029	2.78E-09
2	D	119.9	8.61E-07	0.0187	1.6E-08	5	D	85.1	8.77E-07	0.0017	1.52E-09
3	D	101.5	9.77E-07	0.0147	1.4E-08	6	D	80.6	8.06E-07	0.0014	1.16E-09
4	D	91.5	9.45E-07	0.0110	1.0E-08	1	G	167.5	1.19E-27	0.0330	3.93E-29
5	D	85.1	8.77E-07	0.0057	5.0E-09	2	G	119.9	6.01E-17	0.0152	9.12E-19
6	D	80.6	8.06E-07	0.0023	1.9E-09						
静穏	B	202.1	3.14E-08	0.0297	9.3E-10	静穏	D	202.1	1.23E-07	0.0920	1.13E-08
静穏	D	202.1	1.23E-07	0.0297	3.7E-09	静穏	G	202.1	2.46E-07	0.0920	2.27E-08
計					1.16E-07	計					6.85E-08
						計				昼夜計	1.84E-07

表1.30 (R=3000m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.68E-06	0.0177	3.0E-08	1	D	167.5	3.15E-07	0.0330	1.04E-08
2	B	119.9	8.83E-07	0.0187	1.7E-08	2	D	119.9	8.81E-07	0.0152	1.34E-08
3	B	101.5	5.98E-07	0.0147	8.8E-09	3	D	101.5	9.79E-07	0.0067	6.55E-09
1	D	167.5	3.15E-07	0.0177	5.6E-09	4	D	91.5	9.36E-07	0.0029	2.76E-09
2	D	119.9	8.81E-07	0.0187	1.6E-08	5	D	85.1	8.63E-07	0.0017	1.49E-09
3	D	101.5	9.79E-07	0.0147	1.4E-08	6	D	80.6	7.90E-07	0.0014	1.14E-09
4	D	91.5	9.36E-07	0.0110	1.0E-08	1	G	167.5	5.07E-27	0.0330	1.67E-28
5	D	85.1	8.63E-07	0.0057	4.9E-09	2	G	119.9	1.23E-16	0.0152	1.87E-18
6	D	80.6	7.90E-07	0.0023	1.8E-09						
静穏	B	202.1	2.94E-08	0.0297	8.7E-10	静穏	D	202.1	1.16E-07	0.0920	1.07E-08
静穏	D	202.1	1.16E-07	0.0297	3.4E-09	静穏	G	202.1	2.39E-07	0.0920	2.19E-08
計					1.13E-07	計					6.83E-08
						計				昼夜計	1.81E-07

表1.31 (R=3100m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.58E-06	0.0177	2.8E-08	1	D	167.5	3.45E-07	0.0330	1.14E-08
2	B	119.9	8.28E-07	0.0187	1.5E-08	2	D	119.9	8.99E-07	0.0152	1.36E-08
3	B	101.5	5.60E-07	0.0147	8.2E-09	3	D	101.5	9.78E-07	0.0067	6.55E-09
1	D	167.5	3.45E-07	0.0177	6.1E-09	4	D	91.5	9.26E-07	0.0029	2.73E-09
2	D	119.9	8.99E-07	0.0187	1.7E-08	5	D	85.1	8.49E-07	0.0017	1.47E-09
3	D	101.5	9.78E-07	0.0147	1.4E-08	6	D	80.6	7.74E-07	0.0014	1.12E-09
4	D	91.5	9.26E-07	0.0110	1.0E-08	1	G	167.5	1.97E-26	0.0330	6.50E-28
5	D	85.1	8.49E-07	0.0057	4.8E-09	2	G	119.9	2.41E-16	0.0152	3.66E-18
6	D	80.6	7.74E-07	0.0023	1.8E-09						
静穏	B	202.1	2.76E-08	0.0297	8.2E-10	静穏	D	202.1	1.09E-07	0.0920	1.00E-08
静穏	D	202.1	1.09E-07	0.0297	3.2E-09	静穏	G	202.1	2.31E-07	0.0920	2.12E-08
計					1.10E-07	計					6.81E-08
						計				昼夜計	1.78E-07

表1.32 (R=3200m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.49E-06	0.0177	2.6E-08	1	D	167.5	3.74E-07	0.0330	1.23E-08
2	B	119.9	7.77E-07	0.0187	1.5E-08	2	D	119.9	9.14E-07	0.0152	1.39E-08
3	B	101.5	5.25E-07	0.0147	7.7E-09	3	D	101.5	9.75E-07	0.0067	6.53E-09
1	D	167.5	3.74E-07	0.0177	6.6E-09	4	D	91.5	9.15E-07	0.0029	2.69E-09
2	D	119.9	9.14E-07	0.0187	1.7E-08	5	D	85.1	8.34E-07	0.0017	1.45E-09
3	D	101.5	9.75E-07	0.0147	1.4E-08	6	D	80.6	7.58E-07	0.0014	1.09E-09
4	D	91.5	9.15E-07	0.0110	1.0E-08	1	G	167.5	7.08E-26	0.0330	2.33E-27
5	D	85.1	8.34E-07	0.0057	4.7E-09	2	G	119.9	4.54E-16	0.0152	6.89E-18
6	D	80.6	7.58E-07	0.0023	1.8E-09						
静穏	B	202.1	2.59E-08	0.0297	7.7E-10	静穏	D	202.1	1.03E-07	0.0920	9.45E-09
静穏	D	202.1	1.03E-07	0.0297	3.0E-09	静穏	G	202.1	2.23E-07	0.0920	2.06E-08
計					1.07E-07	計					6.80E-08
						計				昼夜計	1.75E-07

表1.33 (R=3300m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.40E-06	0.0177	2.5E-08	1	D	167.5	4.02E-07	0.0330	1.33E-08
2	B	119.9	7.31E-07	0.0187	1.4E-08	2	D	119.9	9.26E-07	0.0152	1.41E-08
3	B	101.5	4.94E-07	0.0147	7.3E-09	3	D	101.5	9.71E-07	0.0067	6.50E-09
1	D	167.5	4.02E-07	0.0177	7.1E-09	4	D	91.5	9.03E-07	0.0029	2.66E-09
2	D	119.9	9.26E-07	0.0187	1.7E-08	5	D	85.1	8.19E-07	0.0017	1.42E-09
3	D	101.5	9.71E-07	0.0147	1.4E-08	6	D	80.6	7.42E-07	0.0014	1.07E-09
4	D	91.5	9.03E-07	0.0110	1.0E-08	1	G	167.5	2.36E-25	0.0330	7.79E-27
5	D	85.1	8.19E-07	0.0057	4.6E-09	2	G	119.9	8.24E-16	0.0152	1.25E-17
6	D	80.6	7.42E-07	0.0023	1.7E-09						
静穏	B	202.1	2.44E-08	0.0297	7.2E-10	静穏	D	202.1	9.69E-08	0.0920	8.92E-09
静穏	D	202.1	9.69E-08	0.0297	2.9E-09	静穏	G	202.1	2.16E-07	0.0920	1.99E-08
計					1.04E-07	計					6.78E-08
						計				昼夜計	1.72E-07

表1.34 (R=3400m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.32E-06	0.0177	2.3E-08	1	D	167.5	4.30E-07	0.0330	1.42E-08
2	B	119.9	6.89E-07	0.0187	1.3E-08	2	D	119.9	9.36E-07	0.0152	1.42E-08
3	B	101.5	4.65E-07	0.0147	6.8E-09	3	D	101.5	9.65E-07	0.0067	6.46E-09
1	D	167.5	4.30E-07	0.0177	7.6E-09	4	D	91.5	8.90E-07	0.0029	2.62E-09
2	D	119.9	9.36E-07	0.0187	1.8E-08	5	D	85.1	8.04E-07	0.0017	1.39E-09
3	D	101.5	9.65E-07	0.0147	1.4E-08	6	D	80.6	7.26E-07	0.0014	1.05E-09
4	D	91.5	8.90E-07	0.0110	9.8E-09	1	G	167.5	7.37E-25	0.0330	2.43E-26
5	D	85.1	8.04E-07	0.0057	4.5E-09	2	G	119.9	1.44E-15	0.0152	2.19E-17
6	D	80.6	7.26E-07	0.0023	1.7E-09						
静穏	B	202.1	2.30E-08	0.0297	6.8E-10	静穏	D	202.1	9.16E-08	0.0920	8.43E-09
静穏	D	202.1	9.16E-08	0.0297	2.7E-09	静穏	G	202.1	2.09E-07	0.0920	1.93E-08
計					1.02E-07	計					6.76E-08
						計				昼夜計	1.69E-07

表1.35 (R=3500m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.25E-06	0.0177	2.2E-08	1	D	167.5	4.58E-07	0.0330	1.51E-08
2	B	119.9	6.50E-07	0.0187	1.2E-08	2	D	119.9	9.44E-07	0.0152	1.43E-08
3	B	101.5	4.38E-07	0.0147	6.4E-09	3	D	101.5	9.57E-07	0.0067	6.41E-09
1	D	167.5	4.58E-07	0.0177	8.1E-09	4	D	91.5	8.77E-07	0.0029	2.58E-09
2	D	119.9	9.44E-07	0.0187	1.8E-08	5	D	85.1	7.89E-07	0.0017	1.37E-09
3	D	101.5	9.57E-07	0.0147	1.4E-08	6	D	80.6	7.10E-07	0.0014	1.02E-09
4	D	91.5	8.77E-07	0.0110	9.7E-09	1	G	167.5	2.16E-24	0.0330	7.12E-26
5	D	85.1	7.89E-07	0.0057	4.5E-09	2	G	119.9	2.46E-15	0.0152	3.73E-17
6	D	80.6	7.10E-07	0.0023	1.6E-09						
静穏	B	202.1	2.17E-08	0.0297	6.4E-10	静穏	D	202.1	8.67E-08	0.0920	7.98E-09
静穏	D	202.1	8.67E-08	0.0297	2.6E-09	静穏	G	202.1	2.03E-07	0.0920	1.86E-08
計					9.95E-08	計					6.74E-08
						計				昼夜計	1.67E-07

表1.36 (R=3600m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.19E-06	0.0177	2.1E-08	1	D	167.5	4.84E-07	0.0330	1.59E-08
2	B	119.9	6.14E-07	0.0187	1.1E-08	2	D	119.9	9.49E-07	0.0152	1.44E-08
3	B	101.5	4.14E-07	0.0147	6.1E-09	3	D	101.5	9.49E-07	0.0067	6.36E-09
1	D	167.5	4.84E-07	0.0177	8.5E-09	4	D	91.5	8.63E-07	0.0029	2.54E-09
2	D	119.9	9.49E-07	0.0187	1.8E-08	5	D	85.1	7.73E-07	0.0017	1.34E-09
3	D	101.5	9.49E-07	0.0147	1.4E-08	6	D	80.6	6.94E-07	0.0014	1.00E-09
4	D	91.5	8.63E-07	0.0110	9.5E-09	1	G	167.5	5.99E-24	0.0330	1.97E-25
5	D	85.1	7.73E-07	0.0057	4.4E-09	2	G	119.9	4.06E-15	0.0152	6.16E-17
6	D	80.6	6.94E-07	0.0023	1.6E-09						
静穏	B	202.1	2.05E-08	0.0297	6.1E-10	静穏	D	202.1	8.22E-08	0.0920	7.57E-09
静穏	D	202.1	8.22E-08	0.0297	2.4E-09	静穏	G	202.1	1.96E-07	0.0920	1.81E-08
計					9.73E-08	計					6.72E-08
						計				昼夜計	1.65E-07

表1.37 (R=3700m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.12E-06	0.0177	2.0E-08	1	D	167.5	5.09E-07	0.0330	1.68E-08
2	B	119.9	5.81E-07	0.0187	1.1E-08	2	D	119.9	9.53E-07	0.0152	1.45E-08
3	B	101.5	3.91E-07	0.0147	5.8E-09	3	D	101.5	9.40E-07	0.0067	6.29E-09
1	D	167.5	5.09E-07	0.0177	9.0E-09	4	D	91.5	8.50E-07	0.0029	2.50E-09
2	D	119.9	9.53E-07	0.0187	1.8E-08	5	D	85.1	7.58E-07	0.0017	1.31E-09
3	D	101.5	9.40E-07	0.0147	1.4E-08	6	D	80.6	6.79E-07	0.0014	9.80E-10
4	D	91.5	8.50E-07	0.0110	9.4E-09	1	G	167.5	1.57E-23	0.0330	5.19E-25
5	D	85.1	7.58E-07	0.0057	4.3E-09	2	G	119.9	6.53E-15	0.0152	9.92E-17
6	D	80.6	6.79E-07	0.0023	1.6E-09						
静穏	B	202.1	1.94E-08	0.0297	5.8E-10	静穏	D	202.1	7.81E-08	0.0920	7.18E-09
静穏	D	202.1	7.81E-08	0.0297	2.3E-09	静穏	G	202.1	1.90E-07	0.0920	1.75E-08
計					9.53E-08	計					6.70E-08
						計				昼夜計	1.62E-07

表1.38 (R=3800m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.07E-06	0.0177	1.9E-08	1	D	167.5	5.33E-07	0.0330	1.76E-08
2	B	119.9	5.51E-07	0.0187	1.0E-08	2	D	119.9	9.56E-07	0.0152	1.45E-08
3	B	101.5	3.70E-07	0.0147	5.5E-09	3	D	101.5	9.30E-07	0.0067	6.23E-09
1	D	167.5	5.33E-07	0.0177	9.4E-09	4	D	91.5	8.35E-07	0.0029	2.46E-09
2	D	119.9	9.56E-07	0.0187	1.8E-08	5	D	85.1	7.43E-07	0.0017	1.29E-09
3	D	101.5	9.30E-07	0.0147	1.4E-08	6	D	80.6	6.64E-07	0.0014	9.58E-10
4	D	91.5	8.35E-07	0.0110	9.2E-09	1	G	167.5	3.94E-23	0.0330	1.30E-24
5	D	85.1	7.43E-07	0.0057	4.2E-09	2	G	119.9	1.03E-14	0.0152	1.56E-16
6	D	80.6	6.64E-07	0.0023	1.5E-09						
静穏	B	202.1	1.84E-08	0.0297	5.5E-10	静穏	D	202.1	7.42E-08	0.0920	6.83E-09
静穏	D	202.1	7.42E-08	0.0297	2.2E-09	静穏	G	202.1	1.84E-07	0.0920	1.69E-08
計					9.33E-08	計					6.68E-08
						計				昼夜計	1.60E-07

表1.39 (R=3900m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	1.01E-06	0.0177	1.8E-08	1	D	167.5	5.56E-07	0.0330	1.83E-08
2	B	119.9	5.22E-07	0.0187	9.8E-09	2	D	119.9	9.57E-07	0.0152	1.45E-08
3	B	101.5	3.51E-07	0.0147	5.2E-09	3	D	101.5	9.20E-07	0.0067	6.16E-09
1	D	167.5	5.56E-07	0.0177	9.8E-09	4	D	91.5	8.21E-07	0.0029	2.42E-09
2	D	119.9	9.57E-07	0.0187	1.8E-08	5	D	85.1	7.28E-07	0.0017	1.26E-09
3	D	101.5	9.20E-07	0.0147	1.4E-08	6	D	80.6	6.49E-07	0.0014	9.36E-10
4	D	91.5	8.21E-07	0.0110	9.1E-09	1	G	167.5	9.45E-23	0.0330	3.12E-24
5	D	85.1	7.28E-07	0.0057	4.1E-09	2	G	119.9	1.58E-14	0.0152	2.39E-16
6	D	80.6	6.49E-07	0.0023	1.5E-09						
静穏	B	202.1	1.75E-08	0.0297	5.2E-10	静穏	D	202.1	7.06E-08	0.0920	6.50E-09
静穏	D	202.1	7.06E-08	0.0297	2.1E-09	静穏	G	202.1	1.78E-07	0.0920	1.64E-08
計					9.14E-08	計					6.65E-08
						計				昼夜計	1.58E-07

表1.40 (R=4000m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	9.65E-07	0.0177	1.7E-08	1	D	167.5	5.78E-07	0.0330	1.90E-08
2	B	119.9	4.96E-07	0.0187	9.3E-09	2	D	119.9	9.56E-07	0.0152	1.45E-08
3	B	101.5	3.34E-07	0.0147	4.9E-09	3	D	101.5	9.09E-07	0.0067	6.09E-09
1	D	167.5	5.78E-07	0.0177	1.0E-08	4	D	91.5	8.07E-07	0.0029	2.38E-09
2	D	119.9	9.56E-07	0.0187	1.8E-08	5	D	85.1	7.13E-07	0.0017	1.23E-09
3	D	101.5	9.09E-07	0.0147	1.3E-08	6	D	80.6	6.34E-07	0.0014	9.15E-10
4	D	91.5	8.07E-07	0.0110	8.9E-09	1	G	167.5	2.17E-22	0.0330	7.16E-24
5	D	85.1	7.13E-07	0.0057	4.0E-09	2	G	119.9	2.37E-14	0.0152	3.60E-16
6	D	80.6	6.34E-07	0.0023	1.5E-09						
静穏	B	202.1	1.66E-08	0.0297	4.9E-10	静穏	D	202.1	6.73E-08	0.0920	6.19E-09
静穏	D	202.1	6.73E-08	0.0297	2.0E-09	静穏	G	202.1	1.73E-07	0.0920	1.59E-08
計					8.96E-08	計					6.62E-08
						計				昼夜計	1.56E-07

表1.41 (R=4100m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	9.19E-07	0.0177	1.6E-08	1	D	167.5	5.98E-07	0.0330	1.97E-08
2	B	119.9	4.72E-07	0.0187	8.8E-09	2	D	119.9	9.55E-07	0.0152	1.45E-08
3	B	101.5	3.17E-07	0.0147	4.7E-09	3	D	101.5	8.97E-07	0.0067	6.01E-09
1	D	167.5	5.98E-07	0.0177	1.1E-08	4	D	91.5	7.93E-07	0.0029	2.33E-09
2	D	119.9	9.55E-07	0.0187	1.8E-08	5	D	85.1	6.98E-07	0.0017	1.21E-09
3	D	101.5	8.97E-07	0.0147	1.3E-08	6	D	80.6	6.20E-07	0.0014	8.94E-10
4	D	91.5	7.93E-07	0.0110	8.7E-09	1	G	167.5	4.80E-22	0.0330	1.58E-23
5	D	85.1	6.98E-07	0.0057	3.9E-09	2	G	119.9	3.50E-14	0.0152	5.31E-16
6	D	80.6	6.20E-07	0.0023	1.4E-09						
静穏	B	202.1	1.58E-08	0.0297	4.7E-10	静穏	D	202.1	6.42E-08	0.0920	5.90E-09
静穏	D	202.1	6.42E-08	0.0297	1.9E-09	静穏	G	202.1	1.67E-07	0.0920	1.54E-08
計					8.79E-08	計					6.60E-08
						計				昼夜計	1.54E-07

表1.42 (R=4200m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	8.77E-07	0.0177	1.5E-08	1	D	167.5	6.18E-07	0.0330	2.04E-08
2	B	119.9	4.49E-07	0.0187	8.4E-09	2	D	119.9	9.52E-07	0.0152	1.45E-08
3	B	101.5	3.02E-07	0.0147	4.4E-09	3	D	101.5	8.86E-07	0.0067	5.93E-09
1	D	167.5	6.18E-07	0.0177	1.1E-08	4	D	91.5	7.79E-07	0.0029	2.29E-09
2	D	119.9	9.52E-07	0.0187	1.8E-08	5	D	85.1	6.84E-07	0.0017	1.18E-09
3	D	101.5	8.86E-07	0.0147	1.3E-08	6	D	80.6	6.06E-07	0.0014	8.74E-10
4	D	91.5	7.79E-07	0.0110	8.6E-09	1	G	167.5	1.02E-21	0.0330	3.38E-23
5	D	85.1	6.84E-07	0.0057	3.9E-09	2	G	119.9	5.07E-14	0.0152	7.70E-16
6	D	80.6	6.06E-07	0.0023	1.4E-09						
静穏	B	202.1	1.51E-08	0.0297	4.5E-10	静穏	D	202.1	6.13E-08	0.0920	5.64E-09
静穏	D	202.1	6.13E-08	0.0297	1.8E-09	静穏	G	202.1	1.62E-07	0.0920	1.49E-08
計					8.62E-08	計					6.57E-08
						計				昼夜計	1.52E-07

表1.43 (R=4300m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	8.37E-07	0.0177	1.5E-08	1	D	167.5	6.36E-07	0.0330	2.10E-08
2	B	119.9	4.28E-07	0.0187	8.0E-09	2	D	119.9	9.48E-07	0.0152	1.44E-08
3	B	101.5	2.88E-07	0.0147	4.2E-09	3	D	101.5	8.74E-07	0.0067	5.85E-09
1	D	167.5	6.36E-07	0.0177	1.1E-08	4	D	91.5	7.65E-07	0.0029	2.25E-09
2	D	119.9	9.48E-07	0.0187	1.8E-08	5	D	85.1	6.69E-07	0.0017	1.16E-09
3	D	101.5	8.74E-07	0.0147	1.3E-08	6	D	80.6	5.92E-07	0.0014	8.54E-10
4	D	91.5	7.65E-07	0.0110	8.4E-09	1	G	167.5	2.11E-21	0.0330	6.97E-23
5	D	85.1	6.69E-07	0.0057	3.8E-09	2	G	119.9	7.23E-14	0.0152	1.10E-15
6	D	80.6	5.92E-07	0.0023	1.4E-09						
静穏	B	202.1	1.44E-08	0.0297	4.3E-10	静穏	D	202.1	5.85E-08	0.0920	5.39E-09
静穏	D	202.1	5.85E-08	0.0297	1.7E-09	静穏	G	202.1	1.57E-07	0.0920	1.45E-08
計					8.46E-08	計					6.53E-08
						計				昼夜計	1.50E-07

表1.44 (R=4400m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	7.99E-07	0.0177	1.4E-08	1	D	167.5	6.53E-07	0.0330	2.15E-08
2	B	119.9	4.09E-07	0.0187	7.6E-09	2	D	119.9	9.44E-07	0.0152	1.43E-08
3	B	101.5	2.74E-07	0.0147	4.0E-09	3	D	101.5	8.62E-07	0.0067	5.77E-09
1	D	167.5	6.53E-07	0.0177	1.2E-08	4	D	91.5	7.51E-07	0.0029	2.21E-09
2	D	119.9	9.44E-07	0.0187	1.8E-08	5	D	85.1	6.56E-07	0.0017	1.14E-09
3	D	101.5	8.62E-07	0.0147	1.3E-08	6	D	80.6	5.79E-07	0.0014	8.35E-10
4	D	91.5	7.51E-07	0.0110	8.3E-09	1	G	167.5	4.22E-21	0.0330	1.39E-22
5	D	85.1	6.56E-07	0.0057	3.7E-09	2	G	119.9	1.01E-13	0.0152	1.54E-15
6	D	80.6	5.79E-07	0.0023	1.3E-09						
静穏	B	202.1	1.38E-08	0.0297	4.1E-10	静穏	D	202.1	5.60E-08	0.0920	5.15E-09
静穏	D	202.1	5.60E-08	0.0297	1.7E-09	静穏	G	202.1	1.52E-07	0.0920	1.40E-08
計					8.31E-08	計					6.50E-08
						計				昼夜計	1.48E-07

表1.45 (R=4500m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	7.64E-07	0.0177	1.3E-08	1	D	167.5	6.69E-07	0.0330	2.21E-08
2	B	119.9	3.90E-07	0.0187	7.3E-09	2	D	119.9	9.39E-07	0.0152	1.43E-08
3	B	101.5	2.62E-07	0.0147	3.9E-09	3	D	101.5	8.50E-07	0.0067	5.69E-09
1	D	167.5	6.69E-07	0.0177	1.2E-08	4	D	91.5	7.37E-07	0.0029	2.17E-09
2	D	119.9	9.39E-07	0.0187	1.8E-08	5	D	85.1	6.42E-07	0.0017	1.11E-09
3	D	101.5	8.50E-07	0.0147	1.3E-08	6	D	80.6	5.66E-07	0.0014	8.17E-10
4	D	91.5	7.37E-07	0.0110	8.1E-09	1	G	167.5	8.20E-21	0.0330	2.70E-22
5	D	85.1	6.42E-07	0.0057	3.6E-09	2	G	119.9	1.40E-13	0.0152	2.13E-15
6	D	80.6	5.66E-07	0.0023	1.3E-09						
静穏	B	202.1	1.32E-08	0.0297	3.9E-10	静穏	D	202.1	5.36E-08	0.0920	4.93E-09
静穏	D	202.1	5.36E-08	0.0297	1.6E-09	静穏	G	202.1	1.48E-07	0.0920	1.36E-08
計					8.16E-08	計					6.46E-08
						計				昼夜計	1.46E-07

表1.46 (R=4600m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	7.31E-07	0.0177	1.3E-08	1	D	167.5	6.84E-07	0.0330	2.26E-08
2	B	119.9	3.73E-07	0.0187	7.0E-09	2	D	119.9	9.33E-07	0.0152	1.42E-08
3	B	101.5	2.50E-07	0.0147	3.7E-09	3	D	101.5	8.37E-07	0.0067	5.61E-09
1	D	167.5	6.84E-07	0.0177	1.2E-08	4	D	91.5	7.23E-07	0.0029	2.13E-09
2	D	119.9	9.33E-07	0.0187	1.7E-08	5	D	85.1	6.29E-07	0.0017	1.09E-09
3	D	101.5	8.37E-07	0.0147	1.2E-08	6	D	80.6	5.53E-07	0.0014	7.99E-10
4	D	91.5	7.23E-07	0.0110	8.0E-09	1	G	167.5	1.55E-20	0.0330	5.11E-22
5	D	85.1	6.29E-07	0.0057	3.6E-09	2	G	119.9	1.91E-13	0.0152	2.90E-15
6	D	80.6	5.53E-07	0.0023	1.3E-09						
静穏	B	202.1	1.26E-08	0.0297	3.7E-10	静穏	D	202.1	5.14E-08	0.0920	4.73E-09
静穏	D	202.1	5.14E-08	0.0297	1.5E-09	静穏	G	202.1	1.43E-07	0.0920	1.32E-08
計					8.01E-08	計					6.43E-08
						計				昼夜計	1.44E-07

表1.47 (R=4700m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	7.00E-07	0.0177	1.2E-08	1	D	167.5	6.98E-07	0.0330	2.30E-08
2	B	119.9	3.57E-07	0.0187	6.7E-09	2	D	119.9	9.27E-07	0.0152	1.41E-08
3	B	101.5	2.39E-07	0.0147	3.5E-09	3	D	101.5	8.25E-07	0.0067	5.52E-09
1	D	167.5	6.98E-07	0.0177	1.2E-08	4	D	91.5	7.10E-07	0.0029	2.09E-09
2	D	119.9	9.27E-07	0.0187	1.7E-08	5	D	85.1	6.16E-07	0.0017	1.07E-09
3	D	101.5	8.25E-07	0.0147	1.2E-08	6	D	80.6	5.41E-07	0.0014	7.81E-10
4	D	91.5	7.10E-07	0.0110	7.8E-09	1	G	167.5	2.85E-20	0.0330	9.40E-22
5	D	85.1	6.16E-07	0.0057	3.5E-09	2	G	119.9	2.58E-13	0.0152	3.91E-15
6	D	80.6	5.41E-07	0.0023	1.2E-09						
静穏	B	202.1	1.21E-08	0.0297	3.6E-10	静穏	D	202.1	4.93E-08	0.0920	4.54E-09
静穏	D	202.1	4.93E-08	0.0297	1.5E-09	静穏	G	202.1	1.39E-07	0.0920	1.28E-08
計					7.88E-08	計					6.39E-08
						計				昼夜計	1.43E-07

表1.48 (R=4800m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	6.71E-07	0.0177	1.2E-08	1	D	167.5	7.11E-07	0.0330	2.34E-08
2	B	119.9	3.42E-07	0.0187	6.4E-09	2	D	119.9	9.20E-07	0.0152	1.40E-08
3	B	101.5	2.29E-07	0.0147	3.4E-09	3	D	101.5	8.13E-07	0.0067	5.44E-09
1	D	167.5	7.11E-07	0.0177	1.3E-08	4	D	91.5	6.97E-07	0.0029	2.05E-09
2	D	119.9	9.20E-07	0.0187	1.7E-08	5	D	85.1	6.03E-07	0.0017	1.04E-09
3	D	101.5	8.13E-07	0.0147	1.2E-08	6	D	80.6	5.29E-07	0.0014	7.64E-10
4	D	91.5	6.97E-07	0.0110	7.7E-09	1	G	167.5	5.12E-20	0.0330	1.69E-21
5	D	85.1	6.03E-07	0.0057	3.4E-09	2	G	119.9	3.43E-13	0.0152	5.20E-15
6	D	80.6	5.29E-07	0.0023	1.2E-09						
静穏	B	202.1	1.16E-08	0.0297	3.4E-10	静穏	D	202.1	4.73E-08	0.0920	4.35E-09
静穏	D	202.1	4.73E-08	0.0297	1.4E-09	静穏	G	202.1	1.35E-07	0.0920	1.24E-08
計					7.74E-08	計					6.35E-08
						計				昼夜計	1.41E-07

表1.49 (R=4900m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	6.44E-07	0.0177	1.1E-08	1	D	167.5	7.23E-07	0.0330	2.38E-08
2	B	119.9	3.28E-07	0.0187	6.1E-09	2	D	119.9	9.12E-07	0.0152	1.39E-08
3	B	101.5	2.20E-07	0.0147	3.2E-09	3	D	101.5	8.00E-07	0.0067	5.36E-09
1	D	167.5	7.23E-07	0.0177	1.3E-08	4	D	91.5	6.84E-07	0.0029	2.01E-09
2	D	119.9	9.12E-07	0.0187	1.7E-08	5	D	85.1	5.91E-07	0.0017	1.02E-09
3	D	101.5	8.00E-07	0.0147	1.2E-08	6	D	80.6	5.18E-07	0.0014	7.47E-10
4	D	91.5	6.84E-07	0.0110	7.5E-09	1	G	167.5	8.99E-20	0.0330	2.96E-21
5	D	85.1	5.91E-07	0.0057	3.3E-09	2	G	119.9	4.51E-13	0.0152	6.84E-15
6	D	80.6	5.18E-07	0.0023	1.2E-09						
静穏	B	202.1	1.11E-08	0.0297	3.3E-10	静穏	D	202.1	4.55E-08	0.0920	4.18E-09
静穏	D	202.1	4.55E-08	0.0297	1.3E-09	静穏	G	202.1	1.31E-07	0.0920	1.21E-08
計					7.61E-08	計					6.31E-08
						計				昼夜計	1.39E-07

表1.50 (R=5000m)

昼間						夜間					
風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度	風速 m/s	AS	He m	規格濃度	頻度 -	寄与濃度
1	B	167.5	6.18E-07	0.0177	1.1E-08	1	D	167.5	7.34E-07	0.0330	2.42E-08
2	B	119.9	3.14E-07	0.0187	5.9E-09	2	D	119.9	9.05E-07	0.0152	1.37E-08
3	B	101.5	2.11E-07	0.0147	3.1E-09	3	D	101.5	7.88E-07	0.0067	5.28E-09
1	D	167.5	7.34E-07	0.0177	1.3E-08	4	D	91.5	6.71E-07	0.0029	1.98E-09
2	D	119.9	9.05E-07	0.0187	1.7E-08	5	D	85.1	5.79E-07	0.0017	1.00E-09
3	D	101.5	7.88E-07	0.0147	1.2E-08	6	D	80.6	5.07E-07	0.0014	7.31E-10
4	D	91.5	6.71E-07	0.0110	7.4E-09	1	G	167.5	1.55E-19	0.0330	5.10E-21
5	D	85.1	5.79E-07	0.0057	3.3E-09	2	G	119.9	5.86E-13	0.0152	8.90E-15
6	D	80.6	5.07E-07	0.0023	1.2E-09						
静穏	B	202.1	1.07E-08	0.0297	3.2E-10	静穏	D	202.1	4.37E-08	0.0920	4.02E-09
静穏	D	202.1	4.37E-08	0.0297	1.3E-09	静穏	G	202.1	1.27E-07	0.0920	1.17E-08
計					7.48E-08	計					6.26E-08
						計				昼夜計	1.37E-07